

k1	k2	k3	k4	k5	k6	k7	k8	k9	a1	a2	a3	a4	a5	a6	kon1	kon2	kon3	kon4	kon5	kon6	Skor total	Skor item valid	Kategori kesetaraan gender
4	3	3	4	3	4	3	4	2	2	1	1	2	1	1	2	3	2	3	2	2	52	30	2
4	3	3	3	3	4	2	4	3	1	2	1	1	2	2	1	2	1	2	2	2	48	27	2
4	4	4	4	2	4	3	2	3	1	1	1	2	2	1	3	2	3	1	1	1	49	27	2
3	3	3	4	3	4	4	3	2	2	1	2	2	2	1	2	1	2	2	2	2	50	30	2
4	4	4	4	4	4	4	3	2	2	3	2	1	2	1	2	1	1	2	1	1	52	29	2
4	3	4	3	2	4	2	4	2	1	1	2	1	2	1	2	3	2	2	1	1	47	25	2
3	4	3	2	4	3	4	4	4	1	2	2	2	1	2	3	2	1	1	1	2	51	32	2
4	4	3	3	2	3	3	3	3	2	2	2	1	2	1	2	1	2	2	2	1	48	28	2
3	3	3	3	1	3	3	3	3	2	1	2	1	1	3	2	2	2	1	1	1	44	26	2
4	4	4	3	1	4	2	3	3	3	1	1	2	2	2	2	1	3	2	2	2	51	29	2
3	2	2	2	2	3	3	2	2	2	1	2	2	1	1	2	2	2	1	2	2	41	27	2
4	3	4	4	3	3	2	4	2	2	2	1	2	2	1	1	1	1	1	2	2	47	25	2
3	4	3	2	3	2	2	3	3	2	1	1	2	2	2	2	1	2	2	2	2	46	29	2
4	4	3	4	2	3	2	4	1	2	2	3	1	2	2	2	2	1	1	3	1	49	27	2
3	4	4	3	3	3	3	3	4	2	2	3	2	3	3	2	3	2	3	1	2	58	38	3
4	3	2	4	3	3	3	3	3	2	1	2	2	1	1	1	1	1	1	1	1	43	24	1
3	3	3	4	3	2	4	2	1	3	2	2	3	2	3	3	3	3	3	3	3	58	41	3
4	4	4	4	2	4	3	3	3	1	1	1	1	1	2	2	2	2	2	1	2	49	26	2
4	3	4	4	2	2	4	2	4	1	1	2	1	2	1	2	1	2	2	2	2	48	29	2
1	2	3	2	2	3	2	2	2	2	3	2	1	1	2	2	2	2	2	1	2	41	28	2
3	4	4	3	4	3	2	3	1	1	1	2	2	2	1	2	2	2	2	2	2	48	28	2
4	4	4	4	4	4	4	3	3	2	2	2	2	1	3	3	3	2	2	3	3	62	39	3
4	4	3	4	4	3	3	3	3	2	1	3	2	3	2	2	1	2	2	2	2	55	34	3
4	4	4	3	3	3	3	4	4	3	2	1	2	1	2	2	2	2	2	2	2	55	33	2
4	4	4	4	3	4	4	3	4	2	1	3	2	2	2	1	2	2	2	2	2	57	34	3
4	4	3	4	3	4	3	4	3	3	3	3	3	4	3	2	2	2	1	2	1	61	38	3
3	4	4	4	4	3	4	4	4	2	2	2	2	2	2	2	2	2	2	2	2	58	36	3
4	3	3	4	4	3	4	3	4	4	4	3	4	3	4	4	3	4	2	4	4	75	55	5
4	3	3	3	3	4	3	3	3	3	4	4	3	4	3	4	4	4	3	3	3	71	51	4
3	3	3	4	4	3	4	3	4	4	3	3	4	3	3	3	4	4	4	4	4	74	55	5
3	2	3	3	2	4	3	3	3	4	3	4	4	3	4	4	4	2	4	3	4	69	51	4
3	3	3	3	4	3	4	3	4	3	4	4	3	4	4	3	4	3	3	3	3	71	53	5
4	2	3	3	4	3	2	3	3	4	3	3	4	3	4	4	4	4	4	2	4	70	52	5
3	3	2	4	4	4	3	2	4	3	2	4	3	4	4	2	3	2	2	2	2	62	44	4
3	3	4	2	4	3	4	3	4	3	4	3	4	4	3	3	4	3	4	4	3	72	54	5
3	4	4	4	3	3	3	3	3	4	3	4	3	3	4	4	3	3	3	2	4	70	49	4
3	2	3	3	3	2	2	2	3	3	4	2	4	4	4	3	4	4	4	4	4	67	52	5
4	3	4	4	2	4	4	3	2	4	4	4	4	3	4	3	4	4	4	3	4	75	53	5
3	4	3	4	4	3	4	3	3	4	4	3	4	4	4	4	3	4	3	4	4	76	56	5
3	4	4	4	4	4	4	4	4	3	3	2	4	3	2	4	3	3	4	3	4	73	50	4
4	3	4	3	4	4	3	4	4	4	4	3	3	2	4	3	3	3	3	3	3	71	49	4
1	2	2	1	2	3	2	2	2	2	1	2	2	2	1	4	3	4	3	2	2	45	34	3
3	4	3	3	4	3	3	4	2	4	4	3	2	3	3	2	3	1	2	2	2	60	40	3
2	4	3	4	3	4	4	3	4	4	3	2	4	4	2	4	3	4	4	4	3	72	52	5
3	3	4	4	4	3	3	4	4	2	2	2	2	2	2	3	3	4	3	3	4	64	43	4
4	2	4	3	2	4	4	4	3	4	4	2	3	2	2	2	3	3	3	3	3	64	43	4
3	3	3	3	4	3	3	3	4	4	4	3	2	4	3	4	4	3	3	4	4	71	53	5
4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	3	4	3	3	3	3	79	55	5
3	3	4	4	3	4	3	4	3	4	4	2	3	4	3	3	3	3	2	3	3	68	46	4
3	3	3	3	3	3	3	2	4	4	3	4	4	4	4	4	4	4	4	4	4	74	57	5
3	3	3	4	4	4	4	3	3	3	3	4	3	3	4	3	3	4	4	4	4	73	53	5
3	3	3	3	3	3	4	3	3	3	4	4	4	4	4	4	4	3	3	3	4	72	54	5
4	3	4	3	4	4	4	4	4	4	4	4	3	4	3	4	3	3	3	3	3	75	53	5

Uji validitas dan reliabilitas

Putaran 1

Reliability

***** Method 1 (space saver) will be used for this analysis

RELIABILITY ANALYSIS - SCALE (ALPHA)

Item-total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item- Total Correlation	Alpha if Item Deleted
K1	56.6415	130.9267	-.0420	.9136
K2	56.7358	131.9289	-.1044	.9144
K3	56.6604	128.8055	.1100	.9104
K4	56.6415	127.0806	.1872	.9097
K5	56.9245	120.8788	.4683	.9044
K6	56.6604	128.4209	.1374	.9099
K7	56.8302	122.5668	.4513	.9048
K8	56.8679	129.0399	.0786	.9113
K9	56.9623	121.5370	.4313	.9053
A1	57.3208	112.1836	.7864	.8960
A2	57.5283	109.9463	.7792	.8957
A3	57.5094	115.8316	.6520	.8999
A4	57.4906	111.3316	.8276	.8948
A5	57.4528	112.8295	.7416	.8972
A6	57.4906	111.5624	.7581	.8965
KON1	57.3585	115.6190	.6885	.8990
KON2	57.4151	113.0552	.7632	.8967
KON3	57.3774	116.5856	.6368	.9003
KON4	57.5283	115.2155	.6827	.8990
KON5	57.5472	114.6756	.7432	.8976
KON6	57.4340	112.0196	.7967	.8957

Reliability Coefficients

N of Cases = 53.0

N of Items = 21

Alpha = .9071

Putaran 2

Reliability

***** Method 1 (space saver) will be used for this analysis

RELIABILITY ANALYSIS - SCALE (ALPHA)

Item-total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item- Total Correlation	Alpha if Item Deleted
K5	37.0189	117.9035	.4291	.9469
K7	36.9245	119.8403	.3896	.9472
K9	37.0566	118.4006	.4006	.9475
A1	37.4151	108.3244	.8012	.9386
A2	37.6226	106.2779	.7856	.9391
A3	37.6038	111.6669	.6796	.9416
A4	37.5849	107.0936	.8621	.9370
A5	37.5472	108.9064	.7586	.9397
A6	37.5849	107.3628	.7883	.9389
KON1	37.4528	110.6372	.7605	.9398
KON2	37.5094	108.1778	.8289	.9379
KON3	37.4717	111.7155	.7011	.9411
KON4	37.6226	110.5472	.7366	.9403
KON5	37.6415	110.5421	.7716	.9395
KON6	37.5283	107.4463	.8473	.9374

Reliability Coefficients

N of Cases = 53.0

N of Items = 15

Alpha = .9447

Normalitas

NPar Tests

One-Sample Kolmogorov-Smirnov Test

		Kesetaraan gender generasi 1
N		27
Normal Parameters ^{a,b}	Mean	30.33
	Std. Deviation	4.71
Most Extreme Differences	Absolute	.204
	Positive	.204
	Negative	-.096
Kolmogorov-Smirnov Z		1.060
Asymp. Sig. (2-tailed)		.211

a. Test distribution is Normal.

b. Calculated from data.

NPar Tests

One-Sample Kolmogorov-Smirnov Test

		Kesetaraan gender generasi 2
N		26
Normal Parameters ^{a,b}	Mean	50.27
	Std. Deviation	5.50
Most Extreme Differences	Absolute	.207
	Positive	.118
	Negative	-.207
Kolmogorov-Smirnov Z		1.054
Asymp. Sig. (2-tailed)		.217

a. Test distribution is Normal.

b. Calculated from data.

T-Test

Group Statistics

Generasi		N	Mean	Std. Deviation	Std. Error Mean
Kesetaraan gender	Generasi pertama	27	30.33	4.71	.91
	Generasi kedua	26	50.27	5.50	1.08

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
Kesetaraan gender	Equal variances assumed	.158	.693	-14.181	51	.000	-19.94	1.41	-22.76	-17.11
	Equal variances not assumed			-14.139	49.198	.000	-19.94	1.41	-22.77	-17.10

Crosstabs

Jenis kelamin * Generasi Crosstabulation

			Generasi		Total
			Generasi pertama	Generasi kedua	
Jenis kelamin	Laki-laki	Count	19	11	30
		% of Total	35.8%	20.8%	56.6%
	Perempuan	Count	8	15	23
		% of Total	15.1%	28.3%	43.4%
Total		Count	27	26	53
		% of Total	50.9%	49.1%	100.0%

Kategori kesetaraan gender * Generasi Crosstabulation

			Generasi		Total
			Generasi pertama	Generasi kedua	
Kategori kesetaraan gender	Sangat Rendah	Count	1		1
		% of Total	1.9%		1.9%
	Rendah	Count	19		19
		% of Total	35.8%		35.8%
	Sedang	Count	7	2	9
		% of Total	13.2%	3.8%	17.0%
	Tinggi	Count		9	9
		% of Total		17.0%	17.0%
	Sangat Tinggi	Count		15	15
		% of Total		28.3%	28.3%
Total		Count	27	26	53
		% of Total	50.9%	49.1%	100.0%

Jenis kelamin * Kategori kesetaraan gender Crosstabulation

			Kategori kesetaraan gender					Total
			Sangat Rendah	Rendah	Sedang	Tinggi	Sangat Tinggi	
Jenis kelamin	Laki-laki	Count	1	13	7	1	8	30
		% of Total	1.9%	24.5%	13.2%	1.9%	15.1%	56.6%
	Perempuan	Count		6	2	8	7	23
		% of Total		11.3%	3.8%	15.1%	13.2%	43.4%
Total		Count	1	19	9	9	15	53
		% of Total	1.9%	35.8%	17.0%	17.0%	28.3%	100.0%

Frequencies

Frequency Table

Jenis kelamin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Laki-laki	30	56.6	56.6	56.6
	Perempuan	23	43.4	43.4	100.0
	Total	53	100.0	100.0	

Kategori kesetaraan gender

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Sangat Rendah	1	1.9	1.9	1.9
	Rendah	19	35.8	35.8	37.7
	Sedang	9	17.0	17.0	54.7
	Tinggi	9	17.0	17.0	71.7
	Sangat Tinggi	15	28.3	28.3	100.0
	Total	53	100.0	100.0	

Normalitas kelompok laki – laki (generasi 1)

Explore

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Kesetaraan gender generasi 1	.225	19	.012	.885	19	.028

a. Lilliefors Significance Correction

Normalitas kelompok laki – laki (generasi 2)

Explore

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Kesetaraan gender generasi 2	.305	21	.000	.734	21	.010**

** . This is an upper bound of the true significance.

a. Lilliefors Significance Correction

Uji beda kelompok laki – laki

NPar Tests

Mann-Whitney Test

Ranks

	Generasi	N	Mean Rank	Sum of Ranks
Kesetaraan gender	Generasi pertama	19	10.29	195.50
	Generasi kedua	11	24.50	269.50
	Total	30		

Test Statistics^b

	Kesetaraan gender
Mann-Whitney U	5.500
Wilcoxon W	195.500
Z	-4.269
Asymp. Sig. (2-tailed)	.000
Exact Sig. [2*(1-tailed Sig.)]	.000 ^a

a. Not corrected for ties.

b. Grouping Variable: Generasi

Normalitas kelompok perempuan (generasi 1)

Explore

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Kesetaraan gender generasi 1	.217	8	.200*	.906	8	.370

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

Normalitas kelompok perempuan (generasi 2)

Explore

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Kesetaraan gender generasi 2	.153	15	.200*	.939	15	.409

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

T-Test

Group Statistics

Generasi		N	Mean	Std. Deviation	Std. Error Mean
Kesetaraan gender	Generasi pertama	8	29.88	3.76	1.33
	Generasi kedua	15	50.53	4.05	1.05

Independent Samples Test

	Levene's Test for Equality of Variances		t-test for Equality of Means							
	F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference		
								Lower	Upper	
Kesetaraan gender	Equal variance assumed	.000	1.000	-11.929	21	.000	-20.66	1.73	-24.26	-17.06
	Equal variance not assumed			-12.216	15.405	.000	-20.66	1.69	-24.25	-17.06